Declaration of Performance



Gypframe® Metal Profiles

$C \in$

1	Unique identification code of the product type:		Gypframe Metal Profiles		
2	Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):		Gypframe 'C' Studs, Gypframe AcouStuds, Gypframe 'I' Studs, Gypframe Folded Edge Standard Floor & Ceiling Channels, Gypframe Deep Flange Floor & Ceiling Channels, Gypframe Extra Deep Flange Floor & Ceiling Channels, Gypframe CurveLyner Channel, CasoLine MF ceiling channels, GypLyner channels, ShaftWall Starter and Retaining channels Gypframe fixing channels, Gypframe angles, Gypframe board jointing components, Gypframe sound insulating bars		
3	Intended use/s:		profiles manufact	Metal framing components including 0.5mm gauge profiles manufactured from lower carbon steel for gypsum plasterboard systems.	
4	Manufacturer:		East Leake, Lough	British Gypsum Registered in England 734396 East Leake, Loughborough, Leicestershire LE12 6HX Tel: +44 (0) 115 945 1000	
5	Authorised representative:		N/A	N/A	
6	System/s of AVCP:		System 4	System 4	
7	Harmonised standard: Notified body/ies:		EN 14195:2005 N/A		
8	European Assessment Document: European Technical Assessment: Technical Assessment Body: Notified body/ies:		N/A N/A N/A N/A		
9	Declared performance/s:			The characteristics in the table below apply to all products mentioned in 2 above.	
E	Essential characteristics	Performance		Harmonised technical specification	
F	Reaction to Fire (R2F)	A1		EN 14195:2005	
\	/ield strength (σ)	210N/mm ²		EN 14195:2005	

10 Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulations (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Dean O'Sullivan, Managing Director, British Gypsum

East Leake 10/04/2024

Place and date of issue